

Facility Hours and Waiting Times

Often public healthcare users experience long waiting times — spending hours at each visit to the clinic. This simply does not work well for most people, particularly working people and those in school. Having people living with HIV spend an extended time at a clinic, simply to collect ART refills, increases the risk of that person disengaging from care.

Time Patients Spend at the Facility?

Patient Responses: 357

Amount of time spent:

5:NaN

Facility Results (5 Best/Worst)

Lyttelton Clinic	3:02
Boikhutsong Clinic	3:11
Phedisong 1 Clinic	3:46
Hercules Clinic	3:52
Phedisong 4 CHC	3:54
.....	--
Soshanguve Block X Clinic.	6:12
Jubilee Gateway Clinic	7:00
Soshanguve Block JJ Clinic	7:17
Stanza Bopape II Clinic	7:22
Stanza Bopape CHC	7:40

Comparison Results

National Average:	4:58
Province Average:	4:53
Best District Result:	3:36
Worst District Result:	7:55

Earliest Patient Arrival Time

Patient Responses: 372

Earliest arrival time

5:NaN

Facility Results (5 Best/Worst)

Lyttelton Clinic	6:30
Skinner Street Clinic	6:12
Phomolong Clinic	6:10
Sedilega Clinic	5:45
Tlamelong Clinic	5:36
.....	--
Stanza Bopape CHC	4:46
Soshanguve Block X Clinic.	4:42
Stanza Bopape II Clinic	4:39
KT Motubatse Clinic	4:31
Soshanguve Block JJ Clinic	4:20


Comparison Results

National Average:	5:26
Province Average:	5:23
Best District Result:	7:54
Worst District Result:	4:18

How Safe is the Facility to Wait Before it Opens?

Patient Responses: 152

Very Unsafe:	26%
Unsafe:	5%
Neither Safe or Unsafe:	25%
Safe:	18%
Very Safe:	25%
Dont know:	2%



District Score*

3.12

Comparison Results

National Average:	2.92
Province Average:	3.07
Best District Result:	4.54
Worst District Result:	1.00

* Scores based on average of all survey responses with a maximum score of 5 and a minimum score of 1. **HIGHER scores are better.**


Facility Results (5 Best/Worst)

Boekenhout Clinic	5.00
Skinner Street Clinic	5.00
Phomolong Clinic	4.71
Lyttelton Clinic	4.50
Laudium CHC	4.44
.....	--
Sedilega Clinic	2.57
Tlamelong Clinic	2.43
Maria Rantho Clinic	2.38
Hercules Clinic	2.14
Stanza Bopape II Clinic	1.07

Are the Queues at the Facility Long?

Patient Responses: 368

Yes:	77%
No:	18%
Dont know:	5%



District Score*

81%

Comparison Results

National Average:	81%
Province Average:	79%
Best District Result:	46%
Worst District Result:	100%

* Percent of survey responses responding undefined (excluding "Don't Know"). **LOWER scores are better.**

Facility Results (5 Best/Worst)


Lyttelton Clinic	12%
Phedisong 1 Clinic	50%
Hercules Clinic	56%
Soshanguve 2 Clinic	58%
Phomolong Clinic	69%
.....	--
Sedilega Clinic	95%
Soshanguve Block JJ Clinic	100%
Boikhutsong Clinic	100%
Stanza Bopape II Clinic	100%
Tlamelong Clinic	100%

Clinic Conditions

In some cases, clinics monitored through Ritshidze are found to be in a bad condition, with buildings that are dirty or in disrepair, and toilets that are either dysfunctional, unclean or without soap or toilet paper. At other times clinics are too small to meet the needs of patients and more space is required for people to wait, or to provide medical care, or for filing systems or storage. It is important that clinics have enough space and are maintained in a good condition to provide a clean, safe and effective environment to meet the needs of both patients and staff.

Concerns with the Condition of Building:

Total Observations:7




Facility Results

	Broken furniture	Broken or cracked roof, walls or floor	Broken windows or doors	Other
Laudium CHC	2	2	1	
Boikhutsong Clinic			1	1
Boekenhout Clinic		1		
Phedisong 1 Clinic			1	
Sedilega Clinic				1
Tlamelong Clinic				1

What do you need more space for?

Facility Responses:17




Facility Results

	Patients waiting space	Rooms for medical care	Private HIV counseling or testing	Laboratory space	Files	Data capturers	Adherence clubs	Pharmacy	Storage	Other
Soshanguve 2 Clinic	1	1	1		1	1	1	1	1	
Phedisong 4 CHC	1	1	1		1	1	1			
Soshanguve Block JJ Clinic	1		1		1	1	1		1	
KT Motubatse Clinic	1		1			1	1		1	
Kgabo CHC	1		1		1		1		1	
Maria Rantho Clinic			1		1	1			1	
Stanza Bopape CHC	1	1			1		1			
Phedisong 1 Clinic	1		1						1	
Laudium CHC	1				1					
Stanza Bopape II Clinic							1			

What is in bad condition? Please select all that apply:

Total Observations:11



Facility Results

	The filing system is messy	The space where files are stored is too small	Files are stored where patients can access them	Files are lost, missing or misplaced	There are too few people looking for files
Temba CHC	1	1			1
Boekenhout Clinic	1	1			
Boikhutsong Clinic		1		1	
KT Motubatse Clinic	1		1		
Kgabo CHC	1	1			
Soshanguve Block TT Clinic		1		1	
Lyttelton Clinic		1			
Phedisong 1 Clinic		1			
Soshanguve 2 Clinic		1			
Soshanguve Block JJ Clinic	1				




Access to Medicines and Shortages/Stockouts

Stockouts and shortages of ARVs, TB medicines, contraceptives and other medicines cause disruption, confusion, cost, and can detrimentally affect treatment adherence. Where stockouts and shortages are revealed through monitoring — especially where people are sent home empty handed — these need to be urgently addressed.

Any Patients left without the Medicine due to Shortage

Patient Responses: 369

Yes:	10%
No:	75%
Dont know:	15%



District Score*

12%

Comparison Results

National Average:	15%
Province Average:	16%
Best District Result:	0%
Worst District Result:	82%


* Percent of survey responses responding undefined (excluding "Don't Know"). LOWER scores are better.

Facility Results (5 Best/Worst)

Stanza Bopape CHC	0%
Boikhutsong Clinic	0%
FF Ribeiro Clinic	0%
Hercules Clinic	0%
Laudium CHC	0%
.....	--
Jubilee Gateway Clinic	20%
Sedilega Clinic	21%
Phedisong 1 Clinic	25%
Boekenhout Clinic	44%
Tlamelong Clinic	46%

Patient Reports of Medicine Shortage(s)

Patient Responses: 36




Facility Results

	HIV medicine	PrEP	TB medicine	Contraceptives	Pregnancy Test	Vaccines	Other medicines or tests	None of the above	Dont know
Boekenhout Clinic	1		6	1					
Sedilega Clinic	1			2					
Soshanguve Block JJ Clinic				1				1	
Soshanguve Block TT Clinic				1	1				
Tlamelong Clinic				3			1		2
KT Motubatse Clinic							1		1
Lyttelton Clinic							1		
Phedisong 1 Clinic				3					
Soshanguve 2 Clinic				1					
Soshanguve Block X Clinic				1					

Contraception shortage(s)

Patient Responses: 18



Facility Results

	Birth control pill	Injection	Implant	IUD (interuterine device)	Other
Jubilee Gateway Clinic		2			1
Kgabo CHC	1	1			
Maria Rantho Clinic	1	2			
Soshanguve Block TT Clinic	1		1		
Boekenhout Clinic		1			
Sedilega Clinic		2			
Soshanguve 2 Clinic		1			
Soshanguve Block JJ Clinic		1			
Soshanguve Block X Clinic		1			
Tlamelong Clinic		3			

HIV medication shortage(s)

Patient Responses: 5

Facility Results

	First Line FDC	Don't Know
Boekenhout Clinic	1	
Kgabo CHC	1	
Sedilega Clinic	1	
Jubilee Gateway Clinic		2

ARV Collection and Access


Currently many people in South Africa who could benefit from HIV treatment are not, with many people who are living with HIV not on treatment – either never having known their HIV status, or having started on treatment then disengaged from care. To ensure we get more people to start and importantly stay on treatment, it is critical to ensure that ARV collection is as quick and easy as possible. As such efforts should be made to support PLHIV with suppressed viral loads to receive extended ARV refills and be enrolled in a repeat prescription strategy (including external/internal pick up points or adherence clubs).

Length of HIV medicine refill?

Patient Responses: 343

Facility Results (5 Best/Worst)

1 week:	1%
2 weeks:	2%
3 weeks:	1%
1 month:	15%
2 months:	62%
3 months:	19%
6 months:	1%
Dont know:	0%



District Score*

2.03

Comparison Results


National Average:	2.03
Province Average:	2.11
Best District Result:	2.39
Worst District Result:	1.56

* Scores based on average point value of each response with a maximum score of 6 and a minimum score of 0. **HIGHER scores are better.**

Laudium CHC	2.60
Stanza Bopape CHC	2.53
Soshanguve Block JJ Clinic	2.33
Soshanguve Block X Clinic.	2.27
Kgabo CHC	2.24
.....	--
Soshanguve Block TT Clinic	1.77
Phedisong 4 CHC	1.75
FF Ribeiro Clinic	1.73
Boikhutsong Clinic	1.73
Phomolong Clinic	1.63

When Patients Miss a Visit to Collect ARVs:

Patient Responses: 204




Facility Results

	Get an SMS	Get a phone call	A health worker comes to your house	You are not contacted by the clinic	Dont know/never missed a visit	Other
Phomolong Clinic	1				2	
Phedisong 1 Clinic	1				9	
Stanza Bopape II Clinic	4	3			2	
Maria Rantho Clinic		1			5	
Lytelton Clinic	5	4			10	
Kgabo CHC	9	3			4	
KT Motubatse Clinic		1			13	
FF Ribeiro Clinic		4			7	
Phedisong 4 CHC		1	1		7	
Tlamelong Clinic	3	4	2		2	1

When a patient misses a visit, what happens the next time the patients comes to collect ARVs?

Patient Responses: 203



Facility Results

	Staff are Welcoming Back	Staff Reprimand You	Staff Counsel you on Adherence	Staff Ask Why you Missed Appt	Staff Send you to Back of Queue	Don't Know
Stanza Bopape CHC	2		1	2	2	2
Soshanguve 2 Clinic	6	4	5	6		7
Tlamelong Clinic	7	1		2	1	2
FF Ribeiro Clinic	3	1	1	3		7
Sedilega Clinic	1		1			6
Phomolong Clinic	1					2
Phedisong 1 Clinic	1					9
Lytelton Clinic	7			5		10
Stanza Bopape II Clinic	4					2
Boekenhout Clinic	1			2		2

Adherence Clubs

Adherence clubs should simplify and adapt HIV services to both serve the needs of people living with HIV better and reduce unnecessary burdens on the health system. Adherence clubs provide space to get much-needed treatment literacy information and support PLHIV to remain adherent to treatment. Yet currently many adherence clubs have been suspended due to the COVID-19 pandemic. This suspension means our sample size for adherence club member responses is at times very low.

If Not in an Adherence Club Already, Are you Aware of Them at this Facility?

Patient Responses: 301

Yes: 36%

No: 45%

Dont know: 19%

District Score* **43%**

Comparison Results

National Average: 35%

Province Average: 36%

Best District Result: 91%

Worst District Result: 1%

* Percent of survey responses responding undefined (excluding "Don't Know"). HIGHER scores are better.

Facility Results (5 Best/Worst)

Boikhutsong Clinic	100%
KT Motubatse Clinic	100%
FF Ribeiro Clinic	92%
Kgabo CHC	82%
Stanza Bopape CHC	80%
.....	--
Soshanguve 2 Clinic	15%
Soshanguve Block JJ Clinic	14%
Lyttelton Clinic	7%
Jubilee Gateway Clinic	0%
Soshanguve Block TT Clinic	0%

Does the Adherence Club make HIV medicine pick up faster?

Total Responses: 19

Yes: 100%

District Score* **100%**

Comparison Results

National Average: 94%

Province Average: 90%

Best District Result: 100%

Worst District Result: 0%

* Percent of survey responses responding undefined (excluding "Don't Know"). HIGHER scores are better.

Facility Results

FF Ribeiro Clinic	100%
KT Motubatse Clinic	100%
Kgabo CHC	100%
Phedisong 4 CHC	100%
Soshanguve Block X Clinic.	100%
Stanza Bopape CHC	100%
Stanza Bopape II Clinic	100%

Information provided by the Adherence Club

Total Responses: 18

Facility Results

	Side effects of medicines	Why patients should adhere to their ARVs	Different medicine options such as new drugs (ex. Doloutegravir)	No information provided
FF Ribeiro Clinic	1	1	1	
KT Motubatse Clinic	4	4	4	
Kgabo CHC	1	1	1	
Phedisong 4 CHC	2	2	1	
Stanza Bopape CHC	2	1	2	
Stanza Bopape II Clinic	1	1	1	
Soshanguve Block X Clinic.	4	3		3

What clinical services are offered at an adherence club meeting?

Total Responses: 19

Facility Results

	ARV collection	Basic clinical check up	Referral for mental health services or psycho-social support	Dont know
KT Motubatse Clinic	4			
Soshanguve Block X Clinic.	7			1
Kgabo CHC	1		1	
FF Ribeiro Clinic	1	1	1	
Phedisong 4 CHC	2	2	1	
Stanza Bopape CHC	2	2	2	
Stanza Bopape II Clinic	1	1	1	

Access to Viral Load Testing / Information

Treatment and viral load literacy improves linkage rates and ART continuity as people living with HIV understand the importance of starting and remaining on treatment effectively. By becoming as informed as possible, PLHIV are empowered to take control of their own health and sex lives. However, sometimes PLHIV report that healthcare workers do not explain the results of viral load test results and at times PLHIV do not understand the benefits of having an undetectable viral load.

Have Patients had a Viral Load Test in the Past Year?

Patient Responses: 345

Yes:	81%
No:	14%
Dont know:	4%

District Score* **85%**

Comparison Results

National Average:	94%
Province Average:	93%
Best District Result:	100%
Worst District Result:	71%

* Percent of survey responses responding undefined (excluding "Don't Know"). **HIGHER scores are better.**

Facility Results (5 Best/Worst)

Phedisong 4 CHC	100%
Lyttelton Clinic	100%
Skinner Street Clinic	100%
Sedilega Clinic	100%
Phomolong Clinic	100%
.....	--
Stanza Bopape II Clinic	71%
Soshanguve Block JJ Clinic	67%
KT Motubatse Clinic	64%
Soshanguve Block TT Clinic	46%
Soshanguve Block X Clinic.	20%

Did a Health Worker Explain the Viral Load Test Result?

Patient Responses: 274

Yes:	86%
No:	12%
Dont know:	1%

District Score* **86%**

Comparison Results

National Average:	77%
Province Average:	77%
Best District Result:	98%
Worst District Result:	34%

* Percent of survey responses responding undefined (excluding "Don't Know"). **HIGHER scores are better.**

Facility Results (5 Best/Worst)

Boikhutsong Clinic	100%
Hercules Clinic	100%
Jubilee Gateway Clinic	100%
Kgabo CHC	100%
Skinner Street Clinic	100%
.....	--
Soshanguve Block TT Clinic	67%
Soshanguve Block X Clinic.	67%
Laudium CHC	64%
Soshanguve Block JJ Clinic	40%
Stanza Bopape CHC	36%

Treatment Literacy: Do Patients Understand Viral Load and their Health?

Patient Responses: 341

Yes:	73%
No:	10%
Dont know:	16%

District Score* **0.73**

Comparison Results

National Average:	0.76
Province Average:	0.76
Best District Result:	0.98
Worst District Result:	0.19

* Scores based on average point value of each response with a maximum score of 1 and a minimum score of 0. **HIGHER scores are better.**

Facility Results (5 Best/Worst)

Phomolong Clinic	1.00
FF Ribeiro Clinic	1.00
Skinner Street Clinic	1.00
Boikhutsong Clinic	1.00
Lyttelton Clinic	0.94
.....	--
Stanza Bopape II Clinic	0.56
KT Motubatse Clinic	0.53
Soshanguve Block TT Clinic	0.33
Soshanguve Block JJ Clinic	0.27
Soshanguve Block X Clinic.	0.13

Treatment Literacy: Do Patients Understand Viral Load and Transmission?

Patient Responses: 338

Yes:	67%
No:	13%
Dont know:	21%

District Score* **0.67**

Comparison Results

National Average:	0.56
Province Average:	0.61
Best District Result:	0.94
Worst District Result:	0.10

* Scores based on average point value of each response with a maximum score of 1 and a minimum score of 0. **HIGHER scores are better.**

Facility Results (5 Best/Worst)

Skinner Street Clinic	1.00
Phomolong Clinic	1.00
Boikhutsong Clinic	1.00
Phedisong 1 Clinic	0.93
Lyttelton Clinic	0.88
.....	--
Stanza Bopape II Clinic	0.44
Maria Rantho Clinic	0.43
Soshanguve Block TT Clinic	0.31
Soshanguve Block JJ Clinic	0.27
Soshanguve Block X Clinic.	0.13

Index Testing


Index testing (aka Assisted Partner Notification Services or Contact Tracing) can help identify PLHIV earlier, get them access treatment to protect their health and interrupt onward transmission of HIV. However, if implemented poorly, index testing can cause harm to individuals, undermine their rights to consent, privacy, and confidentiality, it erodes trust in healthcare providers, and can put individuals at risk of violence. This is extremely important in the context of South Africa with a well-documented epidemic of gender-based violence.

HIV diagnosis increases the risk of intimate partner violence (IPV). Improperly conducted or pressured participation in index testing exacerbates these risks. In order to be conducted safely, index testing must always be voluntary and there must always be screening to assess the risk of IPV. Where violence or risk of violence is reported, those partners should never be contacted. Instead people should be offered IPV services on site or by referral. Adverse-event monitoring systems must be in place to ensure clients are supported if they do experience any harms.

Have Patients been Asked to Participate in Index Testing?

Patient Responses: 339

Yes:	59%
No:	34%
Dont know:	6%



District Score* **62%**

Comparison Results

National Average:	64%
Province Average:	61%
Best District Result:	97%
Worst District Result:	7%

* Percent of survey responses responding undefined (excluding "Don't Know"). **HIGHER scores are better.**


Facility Results (5 Best/Worst)

Phedisong 1 Clinic	92%
Stanza Bopape CHC	88%
Laudium CHC	87%
Stanza Bopape II Clinic	86%
Sedilega Clinic	85%
.....	--
KT Motubatse Clinic	33%
Jubilee Gateway Clinic	33%
FF Ribeiro Clinic	27%
Soshanguve Block JJ Clinic	21%
Kgabo CHC	7%

Did a Health Worker Tell You You can Refuse to Participate in Index Testing?

Patient Responses: 199

Yes:	74%
No:	24%
Dont know:	2%



District Score* **75%**

Comparison Results

National Average:	72%
Province Average:	72%
Best District Result:	100%
Worst District Result:	0%

* Percent of survey responses responding undefined (excluding "Don't Know"). **HIGHER scores are better.**


Facility Results (5 Best/Worst)

Tlamelong Clinic	100%
Phedisong 1 Clinic	100%
Sedilega Clinic	100%
Phomolong Clinic	100%
Phedisong 4 CHC	92%
.....	--
Soshanguve Block TT Clinic	50%
Stanza Bopape CHC	43%
Soshanguve Block X Clinic.	38%
Stanza Bopape II Clinic	8%
Kgabo CHC	0%

Did the healthcare worker ask you about your risk of gender-based violence from your partner(s)?

Patient Responses: 198

Yes:	67%
No:	32%
Dont know:	1%



District Score* **67%**

Comparison Results

National Average:	64%
Province Average:	58%
Best District Result:	100%
Worst District Result:	12%

* Percent of survey responses responding undefined (excluding "Don't Know"). **HIGHER scores are better.**


Facility Results (5 Best/Worst)

Tlamelong Clinic	100%
Soshanguve 2 Clinic	100%
Skinner Street Clinic	100%
Kgabo CHC	100%
Laudium CHC	92%
.....	--
Maria Rantho Clinic	45%
KT Motubatse Clinic	20%
Soshanguve Block X Clinic.	13%
Stanza Bopape CHC	7%
Stanza Bopape II Clinic	0%

Did the healthcare worker provide you with information on available gender-based violence services?

Patient Responses: 198

Yes:	57%
No:	39%
Dont know:	5%



District Score* **58%**

Comparison Results

National Average:	60%
Province Average:	50%
Best District Result:	96%
Worst District Result:	0%

* Percent of survey responses responding undefined (excluding "Don't Know"). **HIGHER scores are better.**

Facility Results (5 Best/Worst)

Tlamelong Clinic	100%
Boikhutsong Clinic	100%
Phomolong Clinic	92%
Sedilega Clinic	90%
Hercules Clinic	90%
.....	--
Kgabo CHC	0%
Soshanguve Block JJ Clinic	0%
Soshanguve Block X Clinic.	0%
Stanza Bopape CHC	0%
Stanza Bopape II Clinic	0%

TB Infection Control

Six simple interventions are at the heart of how clinics can be part of turning the tide on TB infection — a disease that still kills close to 60,000 people a year in South Africa, according to the World Health Organization (WHO). By following a checklist of good practice, clinics can be safer for patients and staff.


The six measures are: ensuring enough room and space for patients to wait without overcrowding; keeping windows open; ensuring there are TB information posters prominently displayed; reducing clinic waiting times to less than an average of an hour and 15 minutes; screening all arriving patients for TB symptoms; and separating patients who are coughing on arrival at the clinic. Previously there was a seventh item on the checklist. It was for people who are coughing to be given a mask to wear on arrival. However, since the onset of COVID-19, everyone has to by law be wearing a mask in a public place such as a clinic.

Enough room in the waiting area?

Total Observations: 25

Facility Results (5 Best/Worst)

Yes: 68%
No: 32%



District Score* **68%**

Comparison Results

National Average: 48%
Province Average: 64%
Best District Result: 100%
Worst District Result: 0%

* Percent of survey responses responding undefined (excluding "Don't Know"). **HIGHER scores are better.**


Phedisong 4 CHC	100%
Lyttelton Clinic	100%
Stanza Bopape II Clinic	100%
Soshanguve Block JJ Clinic	100%
Skinner Street Clinic	100%
.....	--
Soshanguve Block TT Clinic	0%
Soshanguve Block X Clinic.	0%
Stanza Bopape CHC	0%
Temba CHC	0%
Boekenhout Clinic	0%

Were the Facility Windows Open?

Total Observations: 25

Facility Results (5 Best/Worst)

Yes: 100%



District Score* **100%**

Comparison Results

National Average: 92%
Province Average: 93%
Best District Result: 100%
Worst District Result: 43%

* Percent of survey responses responding undefined (excluding "Don't Know"). **HIGHER scores are better.**


Boekenhout Clinic	100%
Phomolong Clinic	100%
Temba CHC	100%
Stanza Bopape II Clinic	100%
Stanza Bopape CHC	100%
.....	--
KT Motubatse Clinic	100%
Jubilee Gateway Clinic	100%
Hercules Clinic	100%
FF Ribeiro Clinic	100%
Tlamelong Clinic	100%

Are people being asked for TB symptoms?

Patient Responses: 369

Facility Results (5 Best/Worst)

Yes: 48%
Only sometimes: 11%
No: 24%
Dont know: 18%



District Score* **57%**

Comparison Results

National Average: 54%
Province Average: 61%
Best District Result: 81%
Worst District Result: 8%

* Percent of survey responses responding undefined (excluding "Don't Know"). **HIGHER scores are better.**


Skinner Street Clinic	100%
Laudium CHC	100%
Phedisong 1 Clinic	85%
Tlamelong Clinic	80%
FF Ribeiro Clinic	80%
.....	--
Stanza Bopape II Clinic	27%
KT Motubatse Clinic	25%
Soshanguve Block JJ Clinic	20%
Stanza Bopape CHC	20%
Soshanguve Block X Clinic.	14%

Are people who are coughing in a separate room?

Patient Responses: 366

Facility Results (5 Best/Worst)

Yes: 38%
Only sometimes: 11%
No: 28%
Dont know: 23%



District Score* **48%**

Comparison Results

National Average: 39%
Province Average: 48%
Best District Result: 71%
Worst District Result: 8%

* Percent of survey responses responding undefined (excluding "Don't Know"). **HIGHER scores are better.**

Skinner Street Clinic	100%
Tlamelong Clinic	86%
Laudium CHC	81%
Hercules Clinic	77%
Phomolong Clinic	77%
.....	--
Kgabo CHC	17%
KT Motubatse Clinic	17%
Soshanguve Block X Clinic.	14%
Stanza Bopape CHC	13%
Stanza Bopape II Clinic	0%